

## NZDU00434 Dulux Design Chalk Effect Flat

### Introduction

Product Code  
**690D0108, 690D0109**

### Description and Image

Design Chalk Effect creates an ultra matt chalk effect that can be further sanded to create a distressed look.

### Features and Benefits

- Creates an ultra matt or distressed look
- Achieve a variety of looks by combining colours, sanding, or clear top coat
- 10 standard colours available
- Ideal for upcycling furniture
- Tintable to any colours from white base and extra bright base

### Uses

Design chalk effect is the perfect choice for creating distressed and elegant effects on furniture, frames, shelving and other suitably prepared surfaces. Apply to any paintable surface, including suitably prepared plasterboard, plaster, wood or metal. Chalk Effect is suitable for walls, trims, furniture or home accessories. Not suitable for high traffic table tops or surfaces.

### Precautions and Limitations

Not suitable for wet areas.




### Performance Guide

Weather  
**Not suitable for exterior use.**

Water  
**Suitable for wet areas; clear coat is recommended.**

Solvent  
**Sensitive to aromatic hydrocarbons and alcohols**

Abrasion  
**Good when protected with a clear coat. Not suitable for high traffic table tops or surfaces.**

Typical Properties			
Gloss Level <b>Matt</b>		Thinner <b>Water</b>	
Colour <b>A range of ready mixed and tintable colours are available.</b>			
Dulux Colour Base <b>✓ Extra Bright ✓ Vivid White</b>			
Components <b>1</b>		Number of Coats <b>2-3 depending on desired colour distressing</b>	
V.O.C. Level <b>White &lt;1g/L; EBB &lt; 63g/L</b>			
Sanding Properties <b>Very sandable</b>			
Touch Dry <b>30 minutes</b>			
Clean Up  <b>Water</b>			
Application Methods  <b>Brush</b>  <b>Roller</b>			
Application Conditions	Solids by Volume <input type="text" value="48"/>		
	Min	Max	Recommended
Wet Film Per Coat (microns)	<input type="text"/>	<input type="text"/>	<input type="text" value="84"/>
Dry Film Per Coat (microns)	<input type="text"/>	<input type="text"/>	<input type="text" value="27"/>
Recoat Time (min/hours)	<input type="text"/>	<input type="text"/>	<input type="text" value="2 hours"/>
Theoretical Spread Rate (m <sup>2</sup> /L)	<input type="text"/>	<input type="text"/>	<input type="text" value="16"/>
Typical Property Notes COVERAGE Up to 16m <sup>2</sup> per litre, depending on the absorbency of the surface			

**Application Guide**

Surface Preparation

**PREVIOUSLY PAINTED SURFACES**

Wash down with sugar soap and rinse with clean water to remove any dirt, oil, or grease. Scrape and sand down any loose, peeling and flaking paint. Fill any cracks or holes with a suitable filler. Spot prime repairs with Dulux 1 Step Acrylic Primer Sealer Undercoat. Sand gloss and semi gloss finishes to a dull finish to allow a sound surface before top coating. Dust off. Apply one coat of Dulux Prepcoat Acrylic Sealer Undercoat or Dulux 1 Step Water Based to any areas which have been repaired or which have an uneven gloss.

**BARE PAPERFACED WALLBOARD, CEMENT, BRICK**

Brush down to remove all surface dust. Apply one coat of Dulux Prepcoat Acrylic Sealer Undercoat or Dulux 1 Step Water Based.

**BARE INTERIOR TIMBER** Sand smooth. Dust off. Apply one coat of Dulux Prepcoat Acrylic Sealer Undercoat or Dulux 1 Step Water Based

**BARE SET PLASTER, FIBROUS PLASTER, PLASTERGLASS**

Brush down to remove any surface dust. Apply one coat of Dulux Precision Sealer Binder.

**METAL SURFACES**

Thoroughly degrease and prime with 1 coat of Dulux Precision All Metal Primer

Application Procedure and Equipment

**BRUSHING AND ROLLING**

Stir well with a broad flat paddle using an up and down scooping action. Apply two coats of Dulux Design Chalk Effect using a good quality brush to cut in and a short nap roller in good condition for rolling. Allow a minimum of 2 hours dry time between coats. Allow the final coat to dry and cure for at least 7 days. Chalk effect can be left in the current ultra matt appearance or further sanded to create a vintage distressed look.

**ONE COLOUR DISTRESSING**

To distress, use a fine-medium grit sand paper (P240-P180) and lightly sand, in one direction. Other grit papers can be used to achieve the desired finish. For an authentic distressed look, sand areas of the surface where wear is most likely to naturally occur.

**TWO COLOUR DISTRESSING**

Choose your choice of Dulux Design Effects Chalk colours. Apply two even coats of the first colour. Apply one coat of the second colour. Wait 2 hours before sanding or distressing. For greater protection on furniture or home accessories follow with Dulux Design Effects Clear Top Coat. Please note: Clear Top Coat may further increase the gloss slightly and darken the effect colour slightly.

**Health and Safety**

SDS Number <b>DLXNZLEN003051</b>	SDS Link <a href="#">View SDS Link</a>
SDS Number <b>DLXNZLEN003625</b>	SDS Link

Using Safety Precautions

Avoid eye contact and repeated or prolonged skin contact. Avoid inhalation of vapour, mist or aerosols.

**Please refer to SDS Link. In case of emergency, please call 0800 220 770.**

**Transport and Storage**

Pack A

**690D0108, 690D0109**

Size:

**690D0108 690D0108 690D0109 690D0109**

Weight:

**500mL 1L 500mL 1L**

#### Disclaimer

This Data Sheet is copyright to DuluxGroup (Australia) Pty Ltd and/or DuluxGroup (New Zealand) Pty Ltd (collectively, 'Dulux'). It may not be varied or altered without the prior written consent of Dulux, and if it is, Dulux has no responsibility or liability for those variations.

Unless Dulux has provided you with a customised, project-specific specification, this Data Sheet does not represent that any particular product or product system will be suitable for your project.

Any information provided in this Data Sheet is given in good faith and is believed by Dulux to be correct at the time of publication. Products and coating systems can be expected to perform as indicated in this Data Sheet, provided the substrate is in good condition, the coatings are applied by a suitably experienced and skilled applicator, and the preparation, application and maintenance is followed strictly as set out in this Data Sheet, and as recommended on the applicable Safety Data Sheets for the relevant products, available from [www.duspecplus.co.nz](http://www.duspecplus.co.nz). Climatic conditions at application time can affect product suitability and performance.

The correct colour or colour match is the responsibility of the applicator. Colours will change over time and Dulux does not guarantee that the same colour newly mixed will match a colour applied earlier which has been subjected to weathering or other change elements. No product colour is guaranteed against colour change.

Where any liability of Dulux in respect of this Data Sheet cannot by law be excluded, Dulux's liability is limited, as permitted by law and at Dulux's option, to resupply of the relevant products or services or to reimbursing the cost of those products or services.

WHERE LEAD MAY BE PRESENT: The asset manager is responsible for verifying the presence of lead and determining whether to remove or encapsulate the lead. If lead is present, the work must be done in strict accordance with AS/ NZS 4361 Parts 1 and 2 and Worksafe Australia or New Zealand guidelines.